



DRAFT

Genesys Cloud - Premier Edition:  
Virtual Contact Center Release  
Note Library

Premier Edition Cloud Draft

# Table of Contents

<b>Welcome</b>	<b>4</b>
<b>Release Note</b>	<b>5</b>
New in This Release	5
Corrections and Modifications	8
Known Issues and Limitations	11
Early Adopter	22
CX Builder New in This Release (Common to CXB and VCC)	24
CX Builder Corrections and Modifications (Common to CXB and VCC)	25
CX Builder Known Issues and Limitations (Common to CXB and VCC)	26
CX Builder Early Adopter (Only applies to VCC)	27
<b>Save For Later</b>	<b>28</b>

DRAFT

DRAFT

Welcome

DRAFT

---

# Release Note

---

## New in This Release

### New in This Release

#### Notes:

- Premier Edition Cloud (including VCC, CX Builder, and CX Analytics) now supports the GVP platform in addition to the existing Holly platform. Information that pertains only to the GVP platform is documented in a separate sub-section under each component heading. Contact your account representative if you are unsure about which platform you use.
- Support for the older version of VCC Dashboard (<https://premier.angel.com/ui/sd/v1/index.html>) has been discontinued. (AACD-4075)

This release contains the following new features and functionality:

### VCC Dashboard

---

Administrators can now enable or disable call-recording controls for all agents in the contact center by clicking the **Enable Call Recording** check box in the **Settings > Desktop > Permissions** view. Administrators can also enable or disable controls for agents and supervisors to start/stop or pause/resume call recording in Agent Desktop and VCC Dashboard. (AACD-4699, AACD-1981)

---

Administrators can now choose to show or hide generic **Not Ready** and **After Call Work** global agent states. If hidden, these generic agent states do not appear for agents using the **global agent states menu** in Agent Desktop. You can configure this feature in the **Settings > Desktop > Custom Agent States** view. (AACD-3688)

---

If enabled for your contact center, users with the Agent role now have read-only access to the Dashboard view. Customers must first contact their Genesys representative to enable this feature. (AACD-2185, AACD-1127)

---

---

## VCC Agent Desktop

---

Universal Contact Server is now available for voice-only agents. This feature enables all agents to write and view call notes, use contact profile information, and access the Contact History view.

---

## CX Analytics

---

CX Analytics now provides Monthly Billing reports based on agent seats for Inbound Voice, Email, and Chat, and based on usage for IVR Minutes. (AACD-3974, AACD-3973, AACD-3972, AACD-3971)

---

## CX Builder

---

CX Builder now enables you to control the speaking rate of TTS variable messages at the prompt level on the following voice pages:

- **Message Page**
  - **ACD Page**
  - **Call Transfer Page**
  - **Question Page**
  - **Transaction Page**
  - **Voicemail Page**
  - **Waiting Message Page** (PEP-991)
- 

CX Builder now supports SSH packet compression when delivering data files via SFTP. (PEP-992)

---

You can now use nested wildcards when you choose **Keyword** as a response type in the **Main** tab of a **Question Page**. (PEP-998)

---

**NOTE:** In a later release, SMS Campaign will be offered as a separate service outside CX Builder. Campaigns and the SMS page require customers to procure dedicated short/long

---

codes. Please contact Genesys Support or your Customer Success Manager for more details. Your current toll-free numbers can also be SMS enabled. (PEP-642)

---

## Gplus Adapter for Salesforce

---

The Adapter now supports the ability for administrators to show or hide **After Call Work (ACW)** and **Not Ready** reasons.

---

The Adapter now supports the **Chat** channel.

---

### How Is This Page Used?

This list tells you all the places in the wiki that are, right now, transcluding this page.

### Important



Any changes to this page will automatically be reflected in all of the pages in this list. Verify first! If it's not your page, go to the **History**, see who last edited it, and communicate.

**This page — PEC:RNLibrary:NiTR:Draft — is used on the following pages:**

- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.7 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note
- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.6 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note

---

# Corrections and Modifications

## Corrections and Modifications

This release includes the following corrections and modifications:

### VCC Dashboard

---

A misplaced pop-up window no longer appears in the **Settings > Desktop > General** view when an administrator hovers over the **Caller ID** drop-down menu. (AACD-4921)

---

In the **Users** view, the **Channel Status** filter for Email and Chat channels now correctly excludes the options **In Call** and **ACW**. (AACD-4621)

---

Team names in the **Settings > Teams** view now exclude the long string in parentheses (ACD Page ID) that was previously appended to the end of the team name. (AACD-4527)

---

In the **Users** view, the correct mouse cursor now appears if there is no clickable drop-down menu to change agent status. For cells that have clickable drop-down menus, the pointer cursor still appears. (HTCC-19369)

---

In the **Users** view, the drop-down menu to change an agent's channel status no longer disappears when the table statistics are refreshed. The drop-down menu remains open until you make a status selection or click elsewhere to close the drop-down menu. (HTCC-18849)

---

If you edit a reason code in VCC Dashboard while an agent is logged in, the updated reason code appears after a one-minute delay in the drop-down lists in VCC Agent Desktop for the agent to select during an outbound, transfer, or consultation call. Previously, this update did not happen until the agent logged out and logged in again. (AACD-811)

---

### VCC Agent Desktop

---



---

**Voice:** Two issues regarding transferring a call to an IVR during call recording have been fixed:

1. When an agent transfers a call to an IVR with an option to return to the agent, and then the call returns to the agent, the call recording controls from the Agent interface now work correctly.
2. When an agent pauses or stops call recording before transferring the call to an IVR, the IVR transfer portion is not recorded; now when the call comes back to agent, recording no longer resumes automatically.

(AACD-4491)

---

## CX Analytics

---

CX Analytics now includes the not ready codes for Email and Chat channels. (AACD-4094, AACD-4093)

---

CX Analytics now shows the missing call count in Service Level reports. (AACD-3081)

---

## CX Builder

---

If the caller responds **No** to the confirmation request from the **Question Page**, that response is now treated as a No Match. This prevents the caller from being caught in a loop if the caller repeatedly answers **No** to the confirmation question. (PEP-449)

---

A call will no longer end prematurely if it is sent to the **ACD Page** multiple times in a scenario where a short in-queue prompt is used on the **Waiting Message Page**. Previously, if a call went to an **ACD Page** more than once and the waiting prompt was shorter than 1 minute, the call would end prematurely. (AACD-4944, AACD-4885)

## Holly Platform Only

---

If you specify in the **In Queue** tab of an **ACD Page** to play the in-queue music and announcements from the IVR while a caller is waiting for an available agent during a skill transfer, the call goes to the expected destination page when the maximum hold time is reached. Previously, the caller waited in the queue for 1 hour. (AACD-4272)

---

## VCC CTI Adapters

---

This release does not contain any corrections or modifications for the VCC CTI Adapters.

---

## Nailed-up Connection

---

The nailed-up connection is now established when the agent logs in. Previously, the connection was not established until either the agent received an inbound call or successfully established an outbound call.

---

The agent has now has an indication that the connection is nailed-up, so if the connection is inadvertently dropped, the agent is notified of this disconnection. The connection will be re-established when the agent either receives an inbound call or successfully establishes an outbound call.

---

If an agent is assigned to more than one queue, and if any of these queues have the nailed-up connection enabled then this agent's connection will be nailed-up as soon as they log in.

---

## How Is This Page Used?

This list tells you all the places in the wiki that are, right now, transcluding this page.

## Important

Any changes to this page will automatically be reflected in all of the pages in this list. Verify first! If it's not your page, go to the **History**, see who last edited it, and communicate.

This page — **PEC:RNLibrary:CM:Draft** — is used on the following pages:

- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.7 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note
- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.6 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note

## Known Issues and Limitations

### Known Issues and Limitations

This section provides the latest information on known issues and limitations associated with this product.

### VCC Dashboard

If you delete a team that had the option **Nailed Up Connection** enabled, the agents of the deleted team will continue to use nailed up connections until the next time they log in to Agent Desktop. (AACD-4519)

---

The search and filter functions found under the **Dashboard** and **Users** tabs only support alphanumeric characters. For example, if an agent has a hyphenated name, enter their name without the hyphen to complete the search. (AACD-4239)

---

There might be a 10-second delay in the refresh rate between the agent status and the time in current state (TiCS) displayed in the **Agent** panel in the **Dashboard** view. (AACD-4077)

---

When a call is missed, if the system is configured to set the agent status to **Not Ready**, the agent status is set to **Not Ready - no-answer** instead of **Not Ready – Missed Call**. (AACD-3843)

---

VCC Dashboard only counts calls that are actually answered for agents and skills. VCC Dashboard does not count zero duration calls, calls abandoned while ringing, or manually dialed outbound calls initiated by an agent. (AACD-3235, PECC-343)

---

The Service Level Attribute metrics exclude missed call statistics. (AACD-2261)

---

After modifications to the Service Level interval (the target service level measured in seconds), the Skill Service Level value is not updated until a new call to that skill is received. (AACD-859)

---

## VCC Agent Desktop

---

Multiple logins are not supported; only a single login session per user is supported. If an agent logs in multiple times simultaneously using different browser applications, unpredictable consequences are experienced.

---

Agents cannot resume a consultation call in scenarios where the consultation target transfers the call to an IVR. (AACD-4119)

---

Skills that have no agents logged in to them are still displayed in the Team Communicator as potential transfer targets. (AACD-2878)

---

---

Some of the Disposition Codes that are included in reports do not correspond with the Disposition Codes that are available to be set by agents. This happens when the name of a Disposition Code is changed.

**Workaround:** Delete the Disposition Code and recreate it using the new name. (AACD-2702)

---

Agents should log out of Agent Desktop or set their status to **Not Ready** when they are not available to receive calls, otherwise the **Ready** status might persist and calls might be routed to an agent who is not present. Also, if agents leave their status as **Not Ready**, their productivity statistics will decrease. (AACD-1566)

---

The list of agents shown in the Agent Desktop transfer-list includes the System Administrator and users defined as supervisors. Supervisors cannot take incoming calls unless they are also set up as agents (dual-role). The System Administrator (First User) cannot log in to Agent Desktop or VCC Dashboard. (AACD-797)

---

In the United States and Canada, when an agent uses Agent Desktop to place an outbound call, the number entered must start with 1 for domestic destinations and 011 for international destinations. For all other countries, dial the international direct dialing (IDD) number + country code + city/area code + phone number. For more information about local, domestic, and international dialing, consult with your domestic phone service provider. (OP-15203)

---

**Chat:** VCC Agent Desktop automatically creates a contact or links the current chat with the appropriate contact. If the Contact Server recognizes the contact, based on information provided by the contact during the chat request, the interaction is added to the history of this contact. If the Contact Server does not recognize the contact, a new contact is created. However, it is not possible for the application to verify the identity of the contact. For security purposes, agents must verify the contact identity for chat interactions. Genesys recommends that no sensitive information be communicated through this channel. (AACD-2439)

---

**Chat:** If a contact abandons a chat by closing his or her browser while the chat interaction is being routed to a target agent, there is a mismatch between the Agent Report and the Agent Statistics. The Agent Report records the abandoned chat as a missed interaction while the Agent Statistics does not record the missed interaction. (AACD-2395)

---

---

**Email:** Email interactions must be less than 5MB in size to be processed by Agent Desktop. (AACD-3337)

---

**Email:** Inbound email statistics are incremented twice when an inbound email is processed, once for the sent reply email and once for the email when it is processed from the workbin. (AACD-2467)

---

**Email:** Notes that agents add to the **Note** tab of inbound email interactions are not automatically copied to outgoing reply email interactions. If the agent wants to include the same note in the reply interaction, he or she should copy and paste it from the inbound email **Note** tab or manually enter a new note in the **Note** tab of the outgoing email interaction.

---

**Voice:** There are two issues regarding transferring a call to an IVR during call recording:

1. When an agent transfers a call to an IVR with an option to return to the agent, and then the call returns to the agent, the call recording controls from the Agent interface do not work.
2. When an agent pauses or stops call recording before transferring the call to an IVR, the IVR transfer portion is not recorded; however, in some cases when the call comes back to agent, recording might resume.

(AACD-4491)

---

**Voice:** If an agent uses either the Internet Explorer or Firefox browser, the call monitoring icon disappears from the Agent Desktop when a supervisor starts a monitoring session.

**Workaround:** Use the Chrome browser. (AACD-3474)

---

**Voice:** VCC Agent Desktop does not display Call Monitoring in-progress for transferred calls. If the appropriate monitoring mode is selected, supervisors can monitor a transferred call; however, the agent interface does not display the *monitoring* indicator. (AACD-1744)

---

---

## CX Builder

---

---

When using Audio Manager in CX Builder to upload zip files that contain a **\_\_MACOSX** folder, ensure you follow CX Builder's instructions for removing the folder. Otherwise, you will receive an error message. (PEP-951)

---

Voicemail recordings may remain visible in a mailbox even after they have been deleted from the system. In this scenario, an error occurs if you try to play the recording. (PEP-1027)

---

When callers are blind transferred to an external US number, they are sometimes routed back to the queue. In this scenario, the **CallReturn** parameter is set to **in-queue** rather than **agent-disconnect**. (AACD-4478)

---

During a conference call consisting of two agents and a caller, when the caller and Agent 1 hang up, Agent 2 is automatically disconnected. In this situation, the values of the variables configured in the **Advanced Options** tab of an **ACD Page** to store the call information are sometimes **Unknown**. (AACD-2910)

---

In some cases when there are no other agents available, calls arriving during the first few seconds after an agent logs in may be diverted to the "When no agents are available..." destination specified on the **ACD Page**. (AACD-4420)

---

On the **ACD Page** if you specify a customized user announcement on the **In Queue** tab for consult calls, the initiating agent (Agent 1) and the caller will experience silence during the transfer as described in the following scenario:

1. The caller and Agent 1 are on a call together.
  2. Agent 1 initiates a consult call by skill but no agents are available.
  3. The caller hears wait music while Agent 1 hears the in-queue announcement.
  4. An agent (Agent 2) becomes ready. The consult call is routed to Agent 2 and that agent's phone rings.
  5. In a scenario where the check box for playing the transfer in queue audio is not enabled, Agent 1 hears nothing, as the in-queue music has stopped. The caller continues to hear music.
  6. In a scenario where the check box for playing the transfer in queue audio is enabled, neither the caller nor Agent 1 hear anything.
-

---

The caller and Agent 1 should continue hearing their respective audio until Agent 2 answers the call. The agent and caller do not hear silence in this scenario if a customized user announcement is not specified on the **In Queue** tab. (AACD-3724)

---

In the United States and Canada, when an agent places an outbound call, the phone number dialed must start with 1 for domestic destinations and 011 for international destinations. For all other countries, dial the international direct dialing (IDD) number + country code + city/area code + phone number.

For example, if an agent places an outbound call to a contact with a US or Canadian phone number that has a missing 1, such as +7037893067, instead of +17037893067, it will result in silence for approximately 20 seconds before the call fails. If the agent has a different invalid number, such as 12345678, the call will immediately fail.

For more information about local, domestic, and international dialing, consult your domestic phone service provider.

---

**Holly Platform Only**

---

The disposition code variable specified in the **ACD Page** is not saved and is therefore not returned to the IVR in the following scenario:

1. A call is routed to Agent 1 via the **ACD Page**, and Agent 1 answers.
2. During the call, Agent 1 consults with Agent 2.
3. Agent 1 initiates a conference call with Agent 2 and the caller.
4. Agent 1 hangs up, but Agent 2 remains on the call with the caller.
5. Agent 2 selects a disposition code.
6. Agent 2 ends the call.

(AACD-4389)

---

If you specify customized in-queue music on the **Advanced** tab of an **ACD Page**, callers will hear silence rather than music in the following scenario:

1. The call comes in and is transferred, during which the caller hears the transfer music.



2. The agent to whom it is transferred is in the Not Ready state.
3. The call enters the queue and the caller hears the in-queue music.
4. The agent changes his or her status to a Ready state.
5. The in-queue music stops playing, but while the call is offered to the agent, the caller does not hear either the in-queue music or the phone ringing, even though the agent's physical phone is ringing.

(AACD-3609)

---

### GVP Platform Only

---

Callers are mistakenly sent back to the queue instead of being connected to an agent in the following scenario:

1. Caller 1 waits in the queue for an available agent.
2. Caller 2 calls in after Caller 1 and also waits in the queue for an available agent.
3. When Agent 1 becomes available, Caller 1 is routed to Agent 1.
4. Agent 1 goes into Not Ready state and misses the call.
5. Now, Agent 2 becomes available.
6. Caller 1 should be routed to Agent 2 but is sent back to the queue behind all other callers, while Caller 2 is routed to Agent 2.

(AACD-4494)

---

Callers will sometimes hear an error message and then get returned to the **Home Page** in the following scenario:

1. Caller 1 dials the IVR number and is transferred to an end number using the **Call Transfer Page**.
2. Caller 2 dials the IVR and is routed to the same number.
3. Caller 2 hears the error message 'It seems there has been a system error. Let me take you back to the beginning' and the caller gets routed to the **Home Page** instead of the **If line is Busy or No Answer** destination.

(PEP-818)

---

---

When a call returns to the IVR because no agents are available, the agent name, agent email, and disposition code variable fields are empty instead of containing a value of none. (AACD-4176)

---

Correct ACD values for **MaxQueue Timeout** are not being returned for the following scenarios:

- A call is routed to an agent but before the agent answers the call, the caller hangs up.
- A call comes in but the call is routed to a queue because no agents are ready or available, at which time the caller hangs up.

(AACD-4386)

---

When the Whisper feature is enabled on the **ACD Page**, while the system plays the Whisper prompts to the agent, the caller hears wait music instead of queue announcements. (AACD-4248)

---

## VCC CTI Adapters

---

Previously, an issue occurred where an agent's state displayed as **Not Ready** on the **Details** tab of the VCC Dashboard when the agent was actually in **After Call Work (ACW)** state in the CTI adapter. This issue only occurs in VCC 2.6.1 CTI adapters and previous. (AACD-2967)

---

When logging off from your session, make sure that you log out of the Adapter application before logging out of the CRM application. (AACD-2840)

---

An issue might occur in versions previous to VCC 2.6.2 where an agent might be able to change their number when logging in even if they do not have permission to do so. This issue only occurs in VCC 2.6.1 CTI adapters and previous. To prevent agents from changing their phone number when logging in, if you have an administrator role, you must do the following:

---

- 
- Click the **Change Number on Login** check box in the Contact Center Settings view to enable this functionality.
  - Click the **Change Number on Login** check box to clear the check box to disable this functionality. (AACD-2832)
- 

The Adapter requires that the agent have a device assigned to login and work. If the agent does not have an assigned device, the Adapter might fail to load and the agent might need to refresh the page and login again after having a supervisor correct the configuration. This issue only occurs in VCC 2.6.1 CTI adapters and previous.(HTCC-8411)

---

BlueIP Softphones agents cannot receive and/or make calls within the Adapter for VCC applications.

---

## Chat and Email Limitations

### Chat

The Chat feature is an add-on option to the inbound voice contact center and is not visible until activated. Contact your account representative or Genesys Customer Care, if you wish to activate this feature.

### Administrators

---

Chat-only agents are not supported. Chat is only available as an add-on channel for agents with voice services.

---

Administrators cannot configure the Chat channel for individual agents—for example, agents who are assigned to chat interactions only. By default, all agents are automatically configured for all channels (Voice, Chat, and Email).

**Workaround:** Go to **My Status** in VCC Agent Desktop and set the channels to **Log Off** for channels that the agent does not want interactions from.

---

Administrators cannot configure the number of simultaneous chats that agents can handle. By default, the current limit for simultaneous chats is 3.

---

---

## Supervisors

---

The chat statistics in VCC Dashboard are refreshed every 5 minutes.

---

The Chat Service Levels for the Chat Handle Time statistic are not available in VCC Dashboard.

---

Supervisors are not able to monitor agents who are engaged in live chat sessions. Historical reports are available for the chat statistics.

---

## Agents

---

When an agent is handling a chat and needs to consult with another agent, the agent can initiate a voice consult. Chat consults are currently not supported.

---

Standard/Canned responses are not supported.

---

Chat is not currently supported by CTI Adapters.

---

## Contacts

---

The Estimated Wait Time (EWT) is not displayed on the website Chat widget when a contact initiates a chat session.

---

The Chat Website widget only supports contact initiated chats. For example, the Chat widget does not automatically offer the website visitor a chat option based on business logic.

---

---

## Email

The Email feature is an add-on option to the inbound voice contact center and is not visible until activated.

### Administrators

---

Emails can only be routed to a single (configured) skill. See Email Settings View for more information.

---

Standard/Canned responses are not supported.

---

Administrators cannot configure the Email channel for individual agents—for example, agents who are assigned to email interactions only. By default, all agents are currently automatically configured for all channels (Voice, Chat, and Email).

**Workaround:** Go to **My Status** in VCC Agent Desktop and set the channels to **Log Off** for channels that the agent does not want interactions from.

### Supervisors

---

The email statistics in VCC Dashboard are refreshed every 5 minutes.

---

Supervisors are not able to monitor agents who are engaged in email sessions. Historical reports are available for the email statistics.

---

The Email Service Levels for the Email Handle Time statistic are not available in VCC Dashboard.

---

### Agents

---

---

Email is not currently supported by CTI Adapters.

---

The ability to send internal emails between agents is not supported.

---

## Contacts

---

Initiating emails from web-based forms is not supported.

---

---

# Early Adopter

## Early Adopter Features

This is a special Early Adopter release that contains features and functionality that are not available to all customers. Contact your Genesys representative if you have a question about accessing these features.

This release contains the following Early Adopter features and functionality:

## VCC Dashboard

---

Each **Skills** widget now shows the number of calls that are waiting for callback from an agent with this skill. (AACD-4791)

**Known Issue:** If queued callback calls fail, VCC Dashboard removes them from the Callback count in the **Skills** widget and does not alert the user that callback calls have failed. (AACD-4877)

---

If you are experiencing problems with VCC Dashboard, you can use the **Feedback** form to submit a report to Genesys. The **Feedback** form also attaches logs to the report to assist Genesys with troubleshooting the issue. In VCC Dashboard, click the ? (Help) icon and select **Feedback** to access the Feedback form. (AACD-3047)

---

---

## VCC Agent Desktop

---

2.6.7: Preview Outbound Campaigns are now supported. Agents must request a record after the campaign starts. Agents can preview the details of the record before initiating the call.

---

2.6.6: Callback is now supported. If a customer requests a callback interaction, the pop-up toast notification informs the agent that the inbound call is a callback. There might also be additional information about the callback request in the Case Data. When the agent accepts the callback interaction, the contact is dialed.

---

---

## CX Analytics

---

This release does not contain Early Adopter features or functionality.

---

---

## CX Builder

---

In **Site Properties**, the **Special Transaction Page** used for the Callback feature no longer appears as an option in **Hang-Up Pages**. (AACD-4892)

---

To optimize Callback call flow, three new pages have been added to the Callback Group: **Validate Caller ID**, **Check Retry Times Page**, and **Max Retries Page**. (AACD-4804)

---

---

## Gplus Adapter for Salesforce

---

This release does not contain Early Adopter features or functionality.

---

## How Is This Page Used?

This list tells you all the places in the wiki that are, right now, transcluding this page.

### Important

Any changes to this page will automatically be reflected in all of the pages in this list. Verify first! If it's not your page, go to the **History**, see who last edited it, and communicate.

This page — **PEC:RNLibrary:Preview:Draft** — is used on the following pages:

- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.7 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note
- Genesys Cloud - Premier Edition: Virtual Contact Center 2.6.6 Release Note  
Premier Edition Cloud Genesys Cloud - Premier Edition: Virtual Contact Center Release Note

## CX Builder New in This Release (Common to CXB and VCC)

CX Builder now enables you to control the speaking rate of TTS variable messages at the prompt level on the following voice pages:

- **Message Page**
- **ACD Page**
- **Call Transfer Page**
- **Question Page**
- **Transaction Page**
- **Voicemail Page**
- **Waiting Message Page** (PEP-991)



---

CX Builder now supports SSH packet compression when delivering data files via SFTP. (PEP-992)

---

You can now use nested wildcards when you choose **Keyword** as a response type in the **Main** tab of a **Question Page**. (PEP-998)

---

**NOTE:** In a later release, SMS Campaign will be offered as a separate service outside CX Builder. Campaigns and the SMS page require customers to procure dedicated short/long codes. Please contact Genesys Support or your Customer Success Manager for more details. Your current toll-free numbers can also be SMS enabled. (PEP-642)

---

---

## CX Builder Corrections and Modifications (Common to CXB and VCC)

---

If the caller responds **No** to the confirmation request from the **Question Page**, that response is now treated as a No Match. This prevents the caller from being caught in a loop if the caller repeatedly answers **No** to the confirmation question. (PEP-449)

---

A call will no longer end prematurely if it is sent to the **ACD Page** multiple times in a scenario where a short in-queue prompt is used on the **Waiting Message Page**. Previously, if a call went to an **ACD Page** more than once and the waiting prompt was shorter than 1 minute, the call would end prematurely. (AACD-4944, AACD-4885)

### Holly Platform Only

---

If you specify in the **In Queue** tab of an **ACD Page** to play the in-queue music and announcements from the IVR while a caller is waiting for an available agent during a skill transfer, the call goes to the expected destination page when the maximum hold time is reached. Previously, the caller waited in the queue for 1 hour. (AACD-4272)

---

---

## CX Builder Known Issues and Limitations (Common to CXB and VCC)

---

When using Audio Manager in CX Builder to upload zip files that contain a **\_\_MACOSX** folder, ensure you follow CX Builder's instructions for removing the folder. Otherwise, you will receive an error message. (PEP-951)

---

Voicemail recordings may remain visible in a mailbox even after they have been deleted from the system. In this scenario, an error occurs if you try to play the recording. (PEP-1027)

---

When callers are blind transferred to an external US number, they are sometimes routed back to the queue. In this scenario, the **CallReturn** parameter is set to **in-queue** rather than **agent-disconnect**. (AACD-4478)

---

During a conference call consisting of two agents and a caller, when the caller and Agent 1 hang up, Agent 2 is automatically disconnected. In this situation, the values of the variables configured in the **Advanced Options** tab of an **ACD Page** to store the call information are sometimes **Unknown**. (AACD-2910)

---

In some cases when there are no other agents available, calls arriving during the first few seconds after an agent logs in may be diverted to the "When no agents are available..." destination specified on the **ACD Page**. (AACD-4420)

---

On the **ACD Page** if you specify a customized user announcement on the **In Queue** tab for consult calls, the initiating agent (Agent 1) and the caller will experience silence during the transfer as described in the following scenario:

1. The caller and Agent 1 are on a call together.
  2. Agent 1 initiates a consult call by skill but no agents are available.
  3. The caller hears wait music while Agent 1 hears the in-queue announcement.
  4. An agent (Agent 2) becomes ready. The consult call is routed to Agent 2 and that agent's phone rings.
  5. In a scenario where the check box for playing the transfer in queue audio is not enabled, Agent 1 hears nothing, as the in-queue music has stopped. The caller continues to hear music.
-

- 
6. In a scenario where the check box for playing the transfer in queue audio is enabled, neither the caller nor Agent 1 hear anything.

The caller and Agent 1 should continue hearing their respective audio until Agent 2 answers the call. The agent and caller do not hear silence in this scenario if a customized user announcement is not specified on the **In Queue** tab. (AACD-3724)

@@@@

For Voice sites with a **Transaction Page**, calls may intermittently disconnect on a **Transaction Page** when the caller speaks a key word. (PEP-878)

---

---

## CX Builder Early Adopter (Only applies to VCC)

---

In **Site Properties**, the **Special Transaction Page** used for the Callback feature no longer appears as an option in **Hang-Up Pages**. (AACD-4892)

---

To optimize Callback call flow, three new pages have been added to the Callback Group: **Validate Caller ID**, **Check Retry Times Page**, and **Max Retries Page**. (AACD-4804)

---

# Save For Later

This page stores RN items that we will add in a later release.

## Removed from 264 RN

As an administrator, you can now set alerts for **Dashboard's Queues, Skills, and eServices** widgets using the **Threshold** tab under **Settings**:

425px

These alert thresholds allow administrators to control when an alert is displayed on the **Dashboard** view. Alerts are triggered when the value is greater than (>) or equal (=) to the thresholds set for the entire contact center. The following threshold statistics can be configured by toggling the **Activate** button:

### Queues Threshold Statistics

- Average Wait Time
- Calls Waiting
- Max Wait Time

### Skills Threshold Statistics

- Average Handling Time
- Average Wait Time
- Calls Waiting
- Longest Idle
- Max Wait Time
- Missed Calls

### eServices Threshold Statistics

- Average Handling Time
- Currently Handling
- Max Wait Time
- Total Waiting

---

**Note:**

- The Thresholds values can be set for all statistics except for the Target Service Level statistics. These statistics can be set under **Settings > Service Level > Queues/ Skills**. (AACD-1205)
- The threshold set for each statistic applies to all widgets, for example: if you set the threshold for **Calls Waiting** for skills, then the same threshold is applied for all skills.

DRAFT